



WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For www.parkparents.org | Verdict: **Compliant**

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **www.parkparents.org** as of Wed Sep 27 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	5	0	100%

Successful Elements

```
<button type="submit" class="elementor-button elementor-size-sm " style
=";background-color:#ffffff!important;color:#000000!important;" role="but
ton"> <span> <span class=" elementor-button-icon" aria-hidden="true" data
-acsb-f...
```

```
<a aria-label="" class="elementor-element elementor-element-139e8cd e-con
-full toTop z-second ratio-one-to-one e-flex default section-default-pad
e-con e-parent " data-id="139e8cd" data-element_type="container" data-set
tings="{&quot;content_width&qu...
```

```
<a href="#" id="cn-accept-cookie" data-cookie-set="accept" class="cn-set-
cookie cn-button " aria-label="Accept" style="undefined;background-color:
#00a99d;background-color:#ffffff!important" data-acsb-original-style="bac
ground-color: #00a99d" ac...
```

```
<a href="#" id="cn-refuse-cookie" data-cookie-set="refuse" class="cn-set-
cookie cn-button " aria-label="No Thank You" style="undefined;background-
color: #00a99d;background-color:#ffffff!important" data-acsb-original-sty
le="background-color: #00a9...
```

```
<span id="cn-close-notice" data-cookie-set="accept" class="cn-close-icon
" tabindex="0" style=";background-color:#ffffff!important;color:#000000!i
mportant;" role="button" ><span data-="true" " aria-hidden="false" > No T
hank You Close </span></sp...
```

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	5	0	100%
---	---	-----	---	---	------

Successful Elements

```
<button type="submit" class="elementor-button elementor-size-sm " style="background-color:#ffffff!important;color:#000000!important;" role="button"> <span> <span class=" elementor-button-icon" aria-hidden="true" data-acsb-f...
```

```
<a aria-label="" class="elementor-element elementor-element-139e8cd e-con-full toTop z-second ratio-one-to-one e-flex default section-default-pad e-con e-parent " data-id="139e8cd" data-element_type="container" data-settings="{&quot;content_width&qu...
```

```
<a href="#" id="cn-accept-cookie" data-cookie-set="accept" class="cn-set-cookie cn-button " aria-label="Accept" style="undefined;background-color:#00a99d;background-color:#ffffff!important" data-acsb-original-style="background-color: #00a99d" ac...
```

```
<a href="#" id="cn-refuse-cookie" data-cookie-set="refuse" class="cn-set-cookie cn-button " aria-label="No Thank You" style="undefined;background-color: #00a99d;background-color:#ffffff!important" data-acsb-original-style="background-color: #00a9...
```

```
<span id="cn-close-notice" data-cookie-set="accept" class="cn-close-icon " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button" ><span data-="true" " aria-hidden="false" > No Thank You Close </span></sp...
```

-
- 3 [Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.](#)

Yes

52

0

100%

Successful Elements

```
<a href="https://www.parkparents.org" data-acsb-force-un navigable="true" tabindex="-1" > <span data-="true" " aria-hidden="false" > Home </span><picture class="elementor-animation-shrink attachment-large size-large wp-image-4128" loading="la...
```

```
<a href="https://www.parkparents.org/resources/" class="elementor-item has-submenu " id="sm-16958322540903237-1" aria-controls="sm-16958322540903237-2" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" d...
```

```
<a href="https://www.parkparents.org/news/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">News</a>
```

```
<a href="/events/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Events</a>
```

```
<a href="https://www.parkparents.org/about/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">About</a>
```

```
<a href="https://www.parkparents.org/contact/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Contact</a>
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://www.parkparents.org/about/" data-acsb-scrape-url="https://parkparents.org/about/"> <span class="elementor-button-content-wrapper"> <span class="elementor...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://www.parkparents.org/town/bailey/" data-acsb-scrape-url="https://parkparents.org/town/bailey/"> <span class="elementor-button-content-wrapper"> <span clas...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://www.parkparents.org/town/lake-george/" data-acsb-scrape-url="https://parkparents.org/town/lake-george/"> <span class="elementor-button-content-wrapper"> ...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://www.parkparents.org/town/south-park/" data-acsb-scrape-url="https://parkparents.org/town/south-park/"> <span class="elementor-button-content-wrapper"> <s...
```

4 [Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.](#)

Yes

5

0

100%

Successful Elements

```
<a href="https://tellerparkecc.org/" target="_blank" data-acsb-tooltip="New Window" > <span data-="true" " aria-hidden="false" > New Window </span><picture class="elementor-animation-shrink attachment-full size-full wp-image-369" loading="l...
```

```
<a href="https://etps.parkcountyre2.org/en/tmp/watson-api/rest_framework/serializers.py" target="_blank" data-acsb-tooltip="New Window" > <span data-="true" " aria-hidden="false" > New Window </span><picture class="elementor-animation-shrin...
```

```
<a href="https://www.parkcountyre2.org/" target="_blank" data-acsb-tooltip="New Window" > <span data-="true" " aria-hidden="false" > New Window </span><picture class="elementor-animation-shrink attachment-full size-full wp-image-369" loadin...
```

```
<a class="npc" href="https://neonpigcreative.com/" target="_blank" rel="nofollow" data-acsb-tooltip="New Window" data-acsb-scrape-url="https://neonpigcreative.com/"><span data-="true" " aria-hidden="false" > New Window </span><svg version="1.1" i...
```

```
<a href="https://www.parkparents.org/privacy-policy/" target="_blank" id="cn-more-info" class="cn-more-info cn-button " aria-label="Privacy policy" style="undefined;background-color: #00a99d;background-color:#ffffff!important" data-acsb-tooltip="New ...
```

- 5 [An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.](#)

Yes

Pass

-

100%

Successful Elements

```
<h1 class="elementor-heading-title elementor-size-xl " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="1">Helping Families<br> Thrive in Park County</h1>
```

- 6 [HTML title elements \(H1-6\) should have texts. If images or links are used, they should include an alternative or screen-](#)

Yes

18

0

100%

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	Yes	5	0	100%
---	--	-----	---	---	------

Successful Elements

```
<span class="elementor-heading-title elementor-size-default " role="heading" data-acsb-fake-title="true" aria-level="2">Subscribe</span>
```

```
<span class="elementor-heading-title elementor-size-small " role="heading" data-acsb-fake-title="true" aria-level="4">Events In</span>
```

```
<span class="elementor-heading-title elementor-size-large " role="heading" data-acsb-fake-title="true" aria-level="3">In Partnership With:</span>
```

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
---	--	----	---	---	---

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	2	0	100%
---	---	-----	---	---	------

Successful Elements

```
<div role="button" tabindex="0" aria-label="" class="elementor-element elementor-element-65213d7 None None default none none default default center-center default default elementor-widget elementor-widget-image animated fadeInLeft" data-id="65213d7" ...
```

```
<span id="cn-close-notice" data-cookie-set="accept" class="cn-close-icon" tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button" ><span data-="true" " aria-hidden="false" > No Thank You Close </span></sp...
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	2	0	100%

Successful Elements

```
<nav class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-horizontal e--pointer-text e--animation-float" role="navigation" data-acsb-main-menu="true" aria-label="Main Menu"> <ul id="menu-1-f37d5f7" class="eleme...
```

```
<ul class="elementor-icon-list-items" data-acsb-menu="ul" > <li class="elementor-icon-list-item" data-acsb-menu="li" data-acsb-menu-root="true"> <a href="http://park-county.local/privacy-policy/" data-acsb-menu="a" data-acsb-menu...
```

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	Yes	Pass	-	100%
----	--	-----	------	---	------

Successful Elements

```
<a href="https://www.parkparents.org/resources/" class="elementor-item has-submenu " id="sm-16958322540903237-1" aria-controls="sm-16958322540903237-2" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" d...
```

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	Yes	Pass	-	100%
----	--	-----	------	---	------

Successful Elements

```
<a href="https://www.parkparents.org/resources/" class="elementor-item has-submenu " id="sm-16958322540903237-1" aria-controls="sm-16958322540903237-2" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" d...
```

18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	6	0	100%
----	--	-----	---	---	------

Successful Elements

```
<path d="M31.3 192h257.3c17.8 0 26.7 21.5 14.1 34.1L174.1 354.8c
-7.8 7.8-20.5 7.8-28.3 0L17.2 22...
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="28" height="28" viewBox="0
0 28 28" aria-hidden="true" data-acsb-force-hidden="true" ><g id="Group_3
24" data-name="Group 324" transform="translate(-279 -12)" ><rect id="Rect
angle_66" data-name="Rectangl...
```

```
<svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/19
99/xlink" width="173" height="167" viewBox="0 0 173 167" aria-hidden="tru
e" data-acsb-force-hidden="true" ><defs ><clipPath id="clip-path" ><rect
width="173" height="167" fill=...
```

```
<span class="elementor-button-icon" aria-hidden="true" data-acsb-force-h
idden="true" > </span>
```

```
<svg class="tribe-common-c-svgicon tribe-common-c-svgicon--messages-not-found tribe-events-c-messages__message-icon-svg" viewBox="0 0 21 23" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" data-acsb-force-hidden="true" ><g fill-rule="evenodd" ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="163" height="148" viewBox="0 0 163 148" aria-hidden="true" data-acsb-force-hidden="true" ><g id="Group_323" data-name="Group 323" transform="translate(591 -6412)" ><path id="Polygon_1" data-name="Polygo...
```

```
<svg version="1.1" id="Layer_1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" x="0px" y="0px" viewBox="0 0 730.7 64.1" enable-background="new 0 0 730.7 64.1" xml:space="preserve" aria-hidden="true" style=";background...
```

```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 384 512" aria-hidden="true" data-acsb-force-hidden="true" ><path d="M32 32C14.3 32 0 46.3 0 64S14.3 96 32 96H352c17.7 0 32-14.3 32-32s-14.3-32-32-32H32z" data-bbox="0 0 384 512"/>
```

```
<svg style="display: none;" class="e-font-icon-svg-symbols" aria-hidden="true" data-acsb-original-style="display: none;" data-acsb-force-hidden="true" ></svg>
```

21	Figure elements that are used to display images should have a "role" attribute that equals "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
----	---	----	---	---	---

22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
----	--	----	---	---	---

23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
----	---	----	---	---	---

24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	2	0	100%
----	--	-----	---	---	------

Successful Elements

```
<input size="1" type="text" name="form_fields[name]" id="form-field-name" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Name" aria-hidden="false" data-acsb-validation-uuid="form-field-name" data-acsb-field-visible...
```

```
<input size="1" type="email" name="form_fields[email]" id="form-field-email" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Email" required="true" aria-required="true" aria-hidden="false" data-acsb-validation-uuid=...
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	2	0	100%

Successful Elements

```
<ul class="sub-menu elementor-nav-menu--dropdown acsb-hidden " id="sm-16958322540903237-2" role="region" aria-hidden="true" aria-labelledby="sm-16958322540903237-1" data-acsb-menu="ul" data-acsb-dropdown="ad7ui9uw6tnv" aria-label="Submenu" > <li cl...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-16958322540943818-2" role="group" aria-hidden="true" aria-labelledby="sm-16958322540943818-1" aria-expanded="false" style=";background-color:#ffffff!important;color:#000000!important;" > <li ...
```

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-	100%
----	---	-----	------	---	------

Successful Elements

```
<form class="elementor-form" method="post" name="New Form" data-acsb-form-uuid="a621cimv1v0u" data-acsb-form-type="standard"> <input type="hidden" name="post_id" value="3598" aria-hidden="true" tabindex="-1" > <input type="hidden" name="form_...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
----	---	----	---	---	---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Successful Elements

```
<title>Family Resources - Park Parents Family Resource Hub</title>
```

of the webpage so screen-readers can calibrate on it for blind users.

Successful Elements

```
<html lang="en-US" style="--acsb-keynav:3px;" id="acsb-light-contrast" class="acsb-light-contrast"><head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="https://gmpg.org/xfn/1...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	Pass	-	100%
----	---	-----	------	---	------

Successful Elements

```
<main id="content" class="site-main post-3369 page type-page status-publish hentry progress_status-ready-to-review" role="main" data-acsb-main="true"> <div class="page-content"> <div data-elementor-type="wp-page" data-elementor-id="3369" clas...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	108	0	100%
----	--	-----	-----	---	------

Successful Elements

```
<a href="https://www.parkparents.org/resources/" class="elementor-item has-submenu " id="sm-16958322540903237-1" aria-controls="sm-16958322540903237-2" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" d...
```

```
<a href="https://www.parkparents.org/news/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">News</a>
```

```
<a href="/events/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Events</a>
```

```
<a href="https://www.parkparents.org/about/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">About</a>
```

```
<a href="https://www.parkparents.org/contact/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Contact</a>
```

```
<h1 class="elementor-heading-title elementor-size-xl " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="1">Helping Families<br > Thrive in Park County</h1>
```

```
<p >Park County Family Resource Hub is your central resource to help you support your young children, ages 0-6 years.</p>
```

```
<h2 class="elementor-heading-title elementor-size-xl " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="2">We're in this together!</h2>
```

```
<p style=";background-color:#ffffff!important;color:#000000!important;">This site is a tool for strengthening families by providing family support, parent education and knowledge in one accessible location. Providing resources and supports positively...
```

```
<span class="elementor-button-text " style=";background-color:#ffffff!important;color:#000000!important;">Learn More</span>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
----	--	----	---	---	---

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	-
----	---	----	---	---	---

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
----	---	----	---	---	---

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-
----	---	----	---	---	---

42	Tables that are being used as layout structures should include a "role" attribute	No	0	0	-
----	---	----	---	---	---

43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	-